

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1043	379/93.17,207.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:24
L2	3	1 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:26
L3	808936	(database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:27
L4	120390	3 and (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:27
L5	5238	4 and (database or (data adj (base or source))) adj2 (id or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:28
L6	494	5 and (first and second) adj2 (database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:28
L7	100	5 and (first and second) adj2 (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:29
L8	16	7 and (search\$6 or request\$5 or quer\$5 or retriev\$6) adj2 (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:29

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1043	379/93.17,207.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:24
L2	3	1 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:26
L3	808936	(database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:27
L4	120390	3 and (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:27
L5	5238	4 and (database or (data adj (base or source))) adj2 (id or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:33
L6	494	5 and (first and second) adj2 (database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:28
L7	100	5 and (first and second) adj2 (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:29
L8	16	7 and (search\$6 or request\$5 or quer\$5 or retriev\$6) adj2 (databases! or (data adj (bases! or sources!)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:32
L9	78	7 and (search\$6 or request\$5 or quer\$5 or retriev\$6) near4 (database or (data adj (base or source)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:33

## EAST Search History

L10	17	9 and (database or (data adj (base or source))) adj (id or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:33
-----	----	--	---	----	----	------------------

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

+"database identifier" +first +second +search

[Advanced Search](#)  
[Preferences](#)**Web**

Results 1 - 10 of about 15,600 for +"database identifier" +first +second +search. (0.37 seconds)

[\[PDF\] Quick Search\\_natural language](#)

File Format: PDF/Adobe Acrobat

The **first** term preceding the **second** by. n terms (where n is a number) ... Rather than searching the entire document, you can restrict your **search** to one or ...

[www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw\\_NatLang.pdf](http://www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw_NatLang.pdf) - [Similar pages](#)[\[PDF\] WESTLAW TUTORIAL](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Search** page is now displayed. We will **first** do a Terms and Connectors ... Type the name Tarasoff in the **first** box and Regents in the **second** box. ...

[www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf](http://www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf) - [Similar pages](#)[esp@cenet claims view](#)

How can I **search** in the text of the claims? ... A method of synchronizing a **first** database with a **second** database, wherein the **first** database is located in ...

[v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991](http://v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991) - 30k -[Cached](#) - [Similar pages](#)[Computer database synchronization method - Patent 6081806](#)

**First** and **second** synchronization status tables are established for each of the ... the **second** synchronization status table includes a **database identifier**, ...

[www.freepatentsonline.com/6081806.html](http://www.freepatentsonline.com/6081806.html) - 41k - [Cached](#) - [Similar pages](#)[Mechanism for efficiently synchronizing information over a network ...](#)

processing the **first database identifier** at the other routers to determine whether there are any discrepancies between the **first** and **second** databases. ...

[www.freepatentsonline.com/5742820.html](http://www.freepatentsonline.com/5742820.html) - 50k - [Cached](#) - [Similar pages](#)[\[ More results from www.freepatentsonline.com \]](#)[Bodleian Law Library > Guide to WestlawUK](#)

To **search** over several databases, type the **database identifier** (which ... +n The **first** term preceding the **second** by "n" terms (where "n" is a number) ...

[www.bodley.ox.ac.uk/dept/law/westlaw.htm](http://www.bodley.ox.ac.uk/dept/law/westlaw.htm) - 17k - [Cached](#) - [Similar pages](#)[libDatabase - Databse library for Revolution](#)

Since libDatabase supports connections to multiple databases, every function takes a **database identifier** as it's **first** parameter. The **second** parameter is an ...

[www.mangomultimedia.com/developer/revolution/libDatabase\\_article.html](http://www.mangomultimedia.com/developer/revolution/libDatabase_article.html) - 13k -[Cached](#) - [Similar pages](#)[\[PDF\] My Westlaw User Guide](#)

File Format: PDF/Adobe Acrobat

select the and Print. check box. To **search** one or more. databases when you. know the database. identifier(s), type the. **database identifier(s)** ...

[www.thomson.com.au/media/guides/westlaw/MyWestlaw\\_UGuide.pdf](http://www.thomson.com.au/media/guides/westlaw/MyWestlaw_UGuide.pdf) - [Similar pages](#)[IMGT/HLA Sequence Database](#)

The **first** item on the DR line, the **database identifier**, is the abbreviated name of the data collection to which reference is made. The **second** item on the DR ...

[www.ebi.ac.uk/imgt/hla/docs/manual.html](http://www.ebi.ac.uk/imgt/hla/docs/manual.html) - 50k - [Cached](#) - [Similar pages](#)


[PDF] [New development in statutes is an historical change for Westlaw](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(in the **First**, **Second**., Sixth, Eighth, Ninth and. Tenth Circuits) ... Note: **Database identifier** for database in which this material can be found is bold. ...

[west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf](http://west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf) - [Similar pages](#)


Try your search again on [Google Book Search](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

**Web** Results 1 - 10 of about 15,600 for +"database identifier" +first +second +search. (0.37 seconds)

[PDF] [Quick Search\\_natural language](#)

File Format: PDF/Adobe Acrobat

The **first** term preceding the **second** by. n terms (where n is a number) ... Rather than searching the entire document, you can restrict your **search** to one or ...

[www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw\\_NatLang.pdf](http://www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw_NatLang.pdf) - [Similar pages](#)

[PDF] [WESTLAW TUTORIAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Search** page is now displayed. We will **first** do a Terms and Connectors ... Type the name Tarasoff in the **first** box and Regents in the **second** box. ...

[www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf](http://www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf) - [Similar pages](#)

[esp@cenet claims view](#)

How can I **search** in the text of the claims? ... A method of synchronizing a **first** database with a **second** database, wherein the **first** database is located in ...

[v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991](http://v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991) - 30k -

[Cached](#) - [Similar pages](#)

[Computer database synchronization method - Patent 6081806](#)

**First** and **second** synchronization status tables are established for each of the ... the **second** synchronization status table includes a **database identifier**, ...

[www.freepatentsonline.com/6081806.html](http://www.freepatentsonline.com/6081806.html) - 41k - [Cached](#) - [Similar pages](#)

[Mechanism for efficiently synchronizing information over a network ...](#)

processing the **first database identifier** at the other routers to determine whether there are any discrepancies between the **first** and **second** databases. ...

[www.freepatentsonline.com/5742820.html](http://www.freepatentsonline.com/5742820.html) - 50k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

[Bodleian Law Library > Guide to WestlawUK](#)

To **search** over several databases, type the **database identifier** (which ... +n The **first** term preceding the **second** by "n" terms (where "n" is a number) ...

[www.bodley.ox.ac.uk/dept/law/westlaw.htm](http://www.bodley.ox.ac.uk/dept/law/westlaw.htm) - 17k - [Cached](#) - [Similar pages](#)

[libDatabase - Databse library for Revolution](#)

Since libDatabase supports connections to multiple databases, every function takes a **database identifier** as it's **first** parameter. The **second** parameter is an ...

[www.mangomultimedia.com/developer/revolution/libDatabase\\_article.html](http://www.mangomultimedia.com/developer/revolution/libDatabase_article.html) - 13k -

[Cached](#) - [Similar pages](#)

[PDF] [My Westlaw User Guide](#)

File Format: PDF/Adobe Acrobat

select the and Print. check box. To **search** one or more. databases when you. know the database. identifier(s), type the. **database identifier**(s) ...

[www.thomson.com.au/media/guides/westlaw/MyWestlaw\\_UGuide.pdf](http://www.thomson.com.au/media/guides/westlaw/MyWestlaw_UGuide.pdf) - [Similar pages](#)

[IMGT/HLA Sequence Database](#)

The **first** item on the DR line, the **database identifier**, is the abbreviated name of the data collection to which reference is made. The **second** item on the DR ...

[www.ebi.ac.uk/imgt/hla/docs/manual.html](http://www.ebi.ac.uk/imgt/hla/docs/manual.html) - 50k - [Cached](#) - [Similar pages](#)


[PDF] [New development in statutes is an historical change for Westlaw](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(in the **First**, **Second**,. Sixth, Eighth, Ninth and. Tenth Circuits) ... Note: **Database identifier** for database in which this material can be found. ...

[west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf](http://west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf) - [Similar pages](#)

Try your search again on [Google Book Search](#)




+"database identifier" +first +second [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)  
  [Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 15,600 for +"database identifier" +first +second +search. (0.37 seconds)

[PDF] [Quick Search\\_natural language](#)

File Format: PDF/Adobe Acrobat

The **first** term preceding the **second** by. n terms (where n is a number) ... Rather than searching the entire document, you can restrict your **search** to one or ...

[www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw\\_NatLang.pdf](http://www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw_NatLang.pdf) - [Similar pages](#)

[PDF] [WESTLAW TUTORIAL](#)

File Format: PDF/Adobe Acrobat - View as HTML

The **Search** page is now displayed. We will **first** do a Terms and Connectors ... Type the name Tarasoff in the **first** box and Regents in the **second** box. ...

[www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf](http://www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf) - [Similar pages](#)

[esp@cenet claims view](#)

How can I **search** in the text of the claims? ... A method of synchronizing a **first** database with a **second** database, wherein the **first** database is located in ...

[v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991](http://v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991) - 30k -

[Cached](#) - [Similar pages](#)

[Computer database synchronization method - Patent 6081806](#)

**First** and **second** synchronization status tables are established for each of the ... the **second** synchronization status table includes a **database identifier**, ...

[www.freepatentsonline.com/6081806.html](http://www.freepatentsonline.com/6081806.html) - 41k - [Cached](#) - [Similar pages](#)

[Mechanism for efficiently synchronizing information over a network ...](#)

processing the **first database identifier** at the other routers to determine whether there are any discrepancies between the **first** and **second** databases. ...

[www.freepatentsonline.com/5742820.html](http://www.freepatentsonline.com/5742820.html) - 50k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

[Bodleian Law Library > Guide to WestlawUK](#)

To **search** over several databases, type the **database identifier** (which ... +n The **first** term preceding the **second** by "n" terms (where "n" is a number) ...

[www.bodley.ox.ac.uk/dept/law/westlaw.htm](http://www.bodley.ox.ac.uk/dept/law/westlaw.htm) - 17k - [Cached](#) - [Similar pages](#)

[libDatabase - Databse library for Revolution](#)

Since libDatabase supports connections to multiple databases, every function takes a **database identifier** as it's **first** parameter. The **second** parameter is an ...

[www.mangomultimedia.com/developer/revolution/libDatabase\\_article.html](http://www.mangomultimedia.com/developer/revolution/libDatabase_article.html) - 13k -

[Cached](#) - [Similar pages](#)

[PDF] [My Westlaw User Guide](#)

File Format: PDF/Adobe Acrobat

select the and Print. check box. To **search** one or more. databases when you. know the database. identifier(s), type the. **database identifier**(s) ...

[www.thomson.com.au/media/guides/westlaw/MyWestlaw\\_UGuide.pdf](http://www.thomson.com.au/media/guides/westlaw/MyWestlaw_UGuide.pdf) - [Similar pages](#)

[IMGT/HLA Sequence Database](#)

The **first** item on the DR line, the **database identifier**, is the abbreviated name of the data collection to which reference is made. The **second** item on the DR ...



[www.ebi.ac.uk/imgt/hla/docs/manual.html](http://www.ebi.ac.uk/imgt/hla/docs/manual.html) - 50k - [Cached](#) - [Similar pages](#)


[\[PDF\] New development in statutes is an historical change for Westlaw](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(in the **First**, **Second**., Sixth, Eighth, Ninth and. Tenth Circuits) ... Note: **Database identifier** for database in which this material can be found is bold. ...

[west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf](http://west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf) - [Similar pages](#)


Try your search again on [Google Book Search](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

+"database identifier" +first +second +search

[Search](#)[Advanced Search](#)  
[Preferences](#)**Web**

Results 1 - 10 of about 15,600 for +"database identifier" +first +second +search. (0.37 seconds)

[\[PDF\] Quick Search\\_natural language](#)

File Format: PDF/Adobe Acrobat

The **first** term preceding the **second** by n terms (where n is a number) ... Rather than searching the entire document, you can restrict your **search** to one or ...

[www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw\\_NatLang.pdf](http://www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw_NatLang.pdf) - [Similar pages](#)[\[PDF\] WESTLAW TUTORIAL](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Search** page is now displayed. We will **first** do a Terms and Connectors ... Type the name Tarasoff in the **first** box and Regents in the **second** box. ...

[www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf](http://www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf) - [Similar pages](#)[esp@cenet claims view](#)

How can I **search** in the text of the claims? ... A method of synchronizing a **first** database with a **second** database, wherein the **first** database is located in ...

[v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991](http://v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991) - 30k -[Cached](#) - [Similar pages](#)[Computer database synchronization method - Patent 6081806](#)

**First** and **second** synchronization status tables are established for each of the ... the **second** synchronization status table includes a **database identifier**, ...

[www.freepatentsonline.com/6081806.html](http://www.freepatentsonline.com/6081806.html) - 41k - [Cached](#) - [Similar pages](#)[Mechanism for efficiently synchronizing information over a network ...](#)

processing the **first database identifier** at the other routers to determine whether there are any discrepancies between the **first** and **second** databases. ...

[www.freepatentsonline.com/5742820.html](http://www.freepatentsonline.com/5742820.html) - 50k - [Cached](#) - [Similar pages](#)[\[ More results from www.freepatentsonline.com \]](#)[Bodleian Law Library > Guide to WestlawUK](#)

To **search** over several databases, type the **database identifier** (which ... +n The **first** term preceding the **second** by "n" terms (where "n" is a number) ...

[www.bodley.ox.ac.uk/dept/law/westlaw.htm](http://www.bodley.ox.ac.uk/dept/law/westlaw.htm) - 17k - [Cached](#) - [Similar pages](#)[libDatabase - Databse library for Revolution](#)

Since libDatabase supports connections to multiple databases, every function takes a **database identifier** as it's **first** parameter. The **second** parameter is an ...

[www.mangomultimedia.com/developer/revolution/libDatabase\\_article.html](http://www.mangomultimedia.com/developer/revolution/libDatabase_article.html) - 13k -[Cached](#) - [Similar pages](#)[\[PDF\] My Westlaw User Guide](#)

File Format: PDF/Adobe Acrobat

select the and Print. check box. To **search** one or more. databases when you. know the database. identifier(s), type the. **database identifier**(s) ...

[www.thomson.com.au/media/guides/westlaw/MyWestlaw\\_UGuide.pdf](http://www.thomson.com.au/media/guides/westlaw/MyWestlaw_UGuide.pdf) - [Similar pages](#)[IMGT/HLA Sequence Database](#)

The **first** item on the DR line, the **database identifier**, is the abbreviated name of the data collection to which reference is made. The **second** item on the DR ...

[www.ebi.ac.uk/imgt/hla/docs/manual.html](http://www.ebi.ac.uk/imgt/hla/docs/manual.html) - 50k - [Cached](#) - [Similar pages](#)


[PDF] [New development in statutes is an historical change for Westlaw](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(in the **First**, **Second**, Sixth, Eighth, Ninth and Tenth Circuits) ... Note: **Database identifier** for database in which this material can be found is bold. ...

[west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf](http://west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf) - [Similar pages](#)


Try your search again on [Google Book Search](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

+"database identifier" +first +second +search

Search

[Advanced Search](#)  
[Preferences](#)**Web**

Results 1 - 10 of about 15,600 for +"database identifier" +first +second +search. (0.37 seconds)

[\[PDF\] Quick Search\\_natural language](#)

File Format: PDF/Adobe Acrobat

The **first** term preceding the **second** by. n terms (where n is a number) ... Rather than searching the entire document, you can restrict your **search** to one or ...[www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw\\_NatLang.pdf](http://www.online.lbc.com.au/media/guides/westlaw/SearchWestlaw_NatLang.pdf) - [Similar pages](#)[\[PDF\] WESTLAW TUTORIAL](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)The **Search** page is now displayed. We will **first** do a Terms and Connectors ... Type the name Tarasoff in the **first** box and Regents in the **second** box. ...[www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf](http://www.law.berkeley.edu/library/online/guides/general/westlawtutorial.pdf) - [Similar pages](#)[esp@cenet claims view](#)How can I **search** in the text of the claims? ... A method of synchronizing a **first** database with a **second** database, wherein the **first** database is located in ...[v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991](http://v3.espacenet.com/textclam?IDX=EP1311991&QPN=EP1311991) - 30k -[Cached](#) - [Similar pages](#)[Computer database synchronization method - Patent 6081806](#)**First** and **second** synchronization status tables are established for each of the ... the **second** synchronization status table includes a **database identifier**, ...[www.freepatentsonline.com/6081806.html](http://www.freepatentsonline.com/6081806.html) - 41k - [Cached](#) - [Similar pages](#)[Mechanism for efficiently synchronizing information over a network ...](#)processing the **first database identifier** at the other routers to determine whether there are any discrepancies between the **first** and **second** databases. ...[www.freepatentsonline.com/5742820.html](http://www.freepatentsonline.com/5742820.html) - 50k - [Cached](#) - [Similar pages](#)[\[ More results from www.freepatentsonline.com \]](#)[Bodleian Law Library > Guide to WestlawUK](#)To **search** over several databases, type the **database identifier** (which ... +n The **first** term preceding the **second** by "n" terms (where "n" is a number) ...[www.bodley.ox.ac.uk/dept/law/westlaw.htm](http://www.bodley.ox.ac.uk/dept/law/westlaw.htm) - 17k - [Cached](#) - [Similar pages](#)[libDatabase - Databse library for Revolution](#)Since libDatabase supports connections to multiple databases, every function takes a **database identifier** as it's **first** parameter. The **second** parameter is an ...[www.mangomultimedia.com/developer/revolution/libDatabase\\_article.html](http://www.mangomultimedia.com/developer/revolution/libDatabase_article.html) - 13k -[Cached](#) - [Similar pages](#)[\[PDF\] My Westlaw User Guide](#)

File Format: PDF/Adobe Acrobat

select the and Print. check box. To **search** one or more. databases when you. know the database. identifier(s), type the. **database identifier**(s) ...[www.thomson.com.au/media/guides/westlaw/MyWestlaw\\_UGuide.pdf](http://www.thomson.com.au/media/guides/westlaw/MyWestlaw_UGuide.pdf) - [Similar pages](#)[IMGT/HLA Sequence Database](#)The **first** item on the DR line, the **database identifier**, is the abbreviated name of the data collection to which reference is made. The **second** item on the DR ...

[www.ebi.ac.uk/imgt/hla/docs/manual.html](http://www.ebi.ac.uk/imgt/hla/docs/manual.html) - 50k - [Cached](#) - [Similar pages](#)

[PDF] [New development in statutes is an historical change for Westlaw](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


(in the **First, Second**, Sixth, Eighth, Ninth and Tenth Circuits) ... Note: **Database identifier** for database in which this material can be found. ...

[west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf](http://west.thomson.com/pdf/keypts/KeyPointsFedMar05.pdf) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)



[+"database identifier" +first +second](#) [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

title: +"database identifier" +first + second +search


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **database identifier first second search**

Found 12 of 173,942

Sort results by

relevance

Display results

expanded form

☒ Save results to a Binder

☒ Search Tips

☐ Open results in a new window

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 12 of 12

 Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 [Early user---system interaction for database selection in massive domain-specific online environments](#)



Jack G. Conrad, Joanne R. S. Claussen

 January 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 1

Publisher: ACM Press

 Full text available: pdf(845.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The continued growth of very large data environments such as Westlaw and Dialog, in addition to the World Wide Web, increases the importance of effective and efficient database selection and searching. Current research focuses largely on completely autonomous and automatic selection, searching, and results merging in distributed environments. This fully automatic approach has significant deficiencies, including reliance upon thresholds below which databases with relevant documents are not search ...

**Keywords:** Database selection, metadata for retrieval, structuring information to aid search and navigation, user interaction

## 2 [A highly scalable and effective method for metasearch](#)



Weiyi Meng, Zonghuan Wu, Clement Yu, Zhuogang Li

 July 2001 **ACM Transactions on Information Systems (TOIS)**, Volume 19 Issue 3

Publisher: ACM Press

 Full text available: pdf(653.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A metasearch engine is a system that supports unified access to multiple local search engines. Database selection is one of the main challenges in building a large-scale metasearch engine. The problem is to efficiently and accurately determine a small number of potentially useful local search engines to invoke for each user query. In order to enable accurate selection, metadata that reflect the contents of each search engine need to be collected and used. This article proposes a highly scalable ...

**Keywords:** Database selection, distributed text retrieval, metasearch engine, resource discovery

## 3 [GLOSS: text-source discovery over the Internet](#)



Luis Gravano, Héctor García-Molina, Anthony Tomasic

June 1999 **ACM Transactions on Database Systems (TODS)**, Volume 24 Issue 2**Publisher:** ACM Press

Full text available: pdf(230.37 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The dramatic growth of the Internet has created a new problem for users: location of the relevant sources of documents. This article presents a framework for (and experimentally analyzes a solution to) this problem, which we call the text-source discovery problem. Our approach consists of two phases. First, each text source exports its contents to a centralized service. Second, users present queries to the service, which returns an ordered list of promising text sources. T ...

**Keywords:** Internet search and retrieval, digital libraries, distributed information retrieval, text databases

#### 4 [Data structures for efficient broker implementation](#)



Anthony Tomasic, Luis Gravano, Calvin Lue, Peter Schwarz, Laura Haas

July 1997 **ACM Transactions on Information Systems (TOIS)**, Volume 15 Issue 3**Publisher:** ACM Press

Full text available: pdf(316.45 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

With the profusion of text databases on the Internet, it is becoming increasingly hard to find the most useful databases for a given query. To attack this problem, several existing and proposed systems employ brokers to direct user queries, using a local database of summary information about the available databases. This summary information must effectively distinguish relevant databases and must be compact while allowing efficient access. We offer evidence that one broker, GLOSS

**Keywords:** GLOSS, broker architecture, broker performance, distributed information, grid files, partitioned hashing

#### 5 [Partial collection replication versus caching for information retrieval systems](#)



Zhihong Lu, Kathryn S. McKinley

July 2000 **Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval****Publisher:** ACM Press

Full text available: pdf(918.72 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The explosion of content in distributed information retrieval (IR) systems requires new mechanisms to attain timely and accurate retrieval of unstructured text. In this paper, we compare two mechanisms to improve IR system performance: partial collection replication and caching. When queries have locality, both mechanisms return results more quickly than sending queries to the original collection(s). Caches return results when queries exactly match a previous one. Partial replicas are a form ...

**Keywords:** cache, distributed IR architectures, partial replica

#### 6 [The effectiveness of GLOSS for the text database discovery problem](#)



Luis Gravano, Héctor García-Molina, Anthony Tomasic

May 1994. **ACM SIGMOD Record , Proceedings of the 1994 ACM SIGMOD international conference on Management of data SIGMOD '94**, Volume 23 Issue 2**Publisher:** ACM Press

Full text available: pdf(1.36 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

[terms](#)

The popularity of on-line document databases has led to a new problem: finding which text databases (out of many candidate choices) are the most relevant to a user. Identifying the relevant databases for a given query is the text database discovery problem. The first part of this paper presents a practical solution based on estimating the result size of a query and a database. The method is termed GIOSS—Glossary of Servers Server. The second part of t ...

## 7 [A distributed object-oriented database system supporting shared and private databases](#)



Won Kim, Nat Ballou, Jorge F. Garza, Darrell Woelk

January 1991 **ACM Transactions on Information Systems (TOIS)**, Volume 9 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(1.58 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ORION-2 is a commercially available, federated, object-oriented database management system designed and implemented at MCC. One major architectural innovation in ORION-2 is the coexistence of a shared database and a number of private databases. The shared database is accessible to all authorized users of the system, while each private database is accessible to only the user who owns it. A distributed database system with a shared database and private databases for individual users is a natu ...

**Keywords:** client-server architecture, federated databases, object-oriented databases

## 8 [Data and conceptual models: The 78 CODASYL database model: a comparison with preceding specifications](#)



Mary E. S. Loomis

May 1980 **Proceedings of the 1980 ACM SIGMOD international conference on Management of data SIGMOD '80**

**Publisher:** ACM Press

Full text available: [pdf\(1.36 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper compares the database model specified by the CODASYL Data Definition Language Committee in its 1978 *Journal of Development* and the prior model, known familiarly as the CODASYL DBTG model, as specified in 1973 and 1971. The primary achievement of the 78 model appears to be increased potential for data independence by separation of external model and internal model considerations. The external model is described by a DDL; the internal model is described by a DSDL. Additionally, t ...

**Keywords:** CODASYL, DBTG, data definition language, data independence, data storage description language, database management system, database model

## 9 [Logical composition of object-oriented interfaces](#)



Mark Grossman, Raimund K. Ege

December 1987 **ACM SIGPLAN Notices , Conference proceedings on Object-oriented programming systems, languages and applications OOPSLA '87**, Volume 22 Issue 12

**Publisher:** ACM Press

Full text available: [pdf\(1.30 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes an approach to object-oriented interface design that goes beyond mere object decomposition. In our user interface management system we use logic and filters to declaratively specify and control a space of ways that objects may be composed



to create interfaces. A filter is a package of constraints and associated typed objects that express the relationship of data and representation objects. Conceptually our system is completely based on constraints. Filters pr ...

10 [Articles on microarray data mining: Differential expression, class discovery and class prediction using S-PLUS and S+ArrayAnalyzer](#)

Michael O'Connell

December 2003 **ACM SIGKDD Explorations Newsletter**, Volume 5 Issue 2

**Publisher:** ACM Press

Full text available: [pdf\(958.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Microarrays are a powerful experimental platform, allowing simultaneous studies of gene expression for thousands of genes under different experimental conditions. However there is much biological variability induced throughout the experimental process that can obscure the biological signals of interest. As such, the need for experimental design, replication and statistical rigor are now widely recognized. Statistical hypothesis testing has become the accepted differential expression analysis app ...

**Keywords:** S+ArrayAnalyzer, S-PLUS, class discovery, class prediction, differential expression

11 [A transformational grammar-based query processor for access control in a planning system](#)

Robert H. Bonczek, James I. Cash, Andrew B. Whinston

December 1977 **ACM Transactions on Database Systems (TODS)**, Volume 2 Issue 4

**Publisher:** ACM Press

Full text available: [pdf\(960.27 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Providing computer facilities and data availability to larger numbers of users generates increased system vulnerability which is partially offset by software security systems. Much too often these systems are presented as ad hoc additions to the basic data management system. One very important constituent of software security systems is the access control mechanism which may be the last resource available to prohibit unauthorized data retrieval. This paper presents a specification for an ac ...

**Keywords:** access control, data security, database, decision support system, planning system

12 [A mechanism for automatic object locking in C++-based object-oriented databases](#)

Yong S. Jun, Suk I. Yoo

February 1996 **Proceedings of the 1996 ACM symposium on Applied Computing**

**Publisher:** ACM Press





Full text available: [pdf\(960.91 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

**Keywords:** OODBMS, OODBPL, locking

Results 1 - 12 of 12

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "('(database identifier' first second search)&lt;in&gt;metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.☒ e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Display Format:



Citation



Citation &amp; Abstract

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by  
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "('[database identifier](#)' <in>metadata)"Your search matched **0** documents.A maximum of **100** results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.☒ e-mail» [Search Options](#)[View Session History](#)[New Search](#)

Modify Search

('database identifier' &lt;in&gt;metadata)

**Search** >☐ Check to search only within this results set» [Key](#)

Display Format:



Citation



Citation &amp; Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by  
 Inspec®[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE